

Scopus®
indexed

Q3

Computer
Networks and
Communications

SJR 2019
0.23

SNIP 2019
1.358

CiteScore 2019
1.3

ISSN 2089-3191

Vol. 10 No. 1, February 2021

BULLETIN OF
**ELECTRICAL
ENGINEERING
AND INFORMATICS**

<http://beei.org>

BEEI Vol. 10 No. 1, February 2021

UAD
Universitas
Ahmad Dahlan

 iaes
Indonesia Section



People

International Peer-Reviewers:

[Dr. Mallikharjuna Rao K](#), Dr Shyama Prasad Mukherjee International Institute of Information Technology, India

[Dr. Dahlan Abdullah](#), Universitas Malikussaleh, Indonesia

[Dr. Mohammed Abdel-Megeed Mohammed Salem](#), German University in Cairo, Egypt

[Prof. M. G. Ioannides](#), National Technical University, Greece

[Prof. Dr. Tarek Bouktir](#), University of Larbi Ben M'Hidi, Algeria

[Prof. Dr. Ahmad Saudi Samosir](#), Universitas Lampung, Indonesia

[Dr. Ebrahim Babaei](#), University of Tabriz, Iran, Islamic Republic of

[Assoc. Prof. Dr. Muhammad Mohsin Nazir](#), Lahore College for Women University Pakistan, Pakistan

[Dr. Muhammad Qomaruddin](#), Universitas Islam Sultan Agung, Indonesia

[Dr. Nabil Sultan](#), University Campus Suffolk, United Kingdom

[Dr. Abubakar Siddik A](#), Karolinska Institutet, Sweden

[Dr. Pouya Derakhshan-Barjoei](#), Islamic Azad University, Iran, Islamic Republic of

[Helmy Mohammed Abdel-Mageed](#), Helwan University, Egypt

[Muhammad Safian Adee](#), Pakistan

[Dr. Ali Sharifara](#), University of Texas at Arlington, United States

[Lecturer. Eng. Ph.D. Bogdan Tigănoaia](#), University POLITEHNICA of Bucharest, Romania

02765038

[Bulletin of EEI Stats](#)

Bulletin of Electrical Engineering and Informatics (BEEI)

ISSN: 2089-3191, e-ISSN: 2302-9285

This journal is published by the [Institute of Advanced Engineering and Science \(IAES\)](#) in collaboration with [Intelektual Pustaka Media Utama \(IPMU\)](#).

USER

Username
 Password
 Remember me

CITATION ANALYSIS

- Dimensions
- Google Scholar
- Scholar Metrics
- Scinapse
- Scopus

QUICK LINKS

- Editorial Boards
- Reviewers
- Abstracting and Indexing
- Guide of Authors
- [Online Papers Submission](#)
- Peer Review Process
- Publication Fee
- Publication Ethics
- Visitor Statistics
- DOI Deposit Report
- Contact Us

HOW TO SUBMIT

How to submit a paper...

JOURNAL CONTENT

Search
 Search Scope

 Browse

- By Issue
- By Author
- By Title

INFORMATION

- For Readers
- For Authors
- For Librarians



Editorial Team

Editor-in-Chief:

Assoc. Prof. Dr. Tole Sutikno, Universitas Ahmad Dahlan, Indonesia

co-Editors-in-Chief:

Dr. Arash Hassanpour Isfahani, University of Texas at Dallas, United States
Prof. Dr. Ille C. Gebeshuber, Technische Universität Wien, Austria
Assoc. Prof. Dr. Vicente García Díaz, University of Oviedo, Spain

Associate Editors:

Prof. Dr. Ahmad Hoirul Basori, King Abdulaziz University, Saudi Arabia
Prof. Dr. Attia El-Fergany, Zagazig University, Egypt
Prof. Dr. Eduard Babulák, National Science Foundation, United States
Prof. Dr. Jasvir Singh, Himachal Pradesh University, India
Prof. Dr. Juan Jose Martinez Castillo, Universidad de Málaga, Spain
Prof. Dr. Xiaoguang Yue, European University Cyprus, Cyprus
Prof. Chuan-Ming Liu, National Taipei University of Technology, Taiwan, Province of China
Prof. Dah-Jing Jwo, National Taiwan Ocean University, Taiwan, Province of China
Prof. Francesco Moscato, University of Salerno, Italy
Prof. Gordana Jovanovic Dolecek, National Institute INAOE, Mexico
Prof. Hui Gao, Beijing University of Posts and Telecommunications, China
Prof. João Crisóstomo Weyl, Universidade Federal do Pará, Brazil
Prof. Jun Cheng, Doshisha University, Japan
Prof. Kamran Arshad, Ajman University, United Arab Emirates
Prof. Kui Xu, Army Engineering University of PLA, China
Prof. Mahdi Imani, Northeastern University, United States
Prof. Massimo Vecchio, Fondazione Bruno Kessler, Italy
Prof. Mohammed El Badaoui, University of Lyon, France
Prof. Muhammad Zubair, Information Technology University (ITU) of the Punjab, Pakistan
Prof. Nandana Rajatheva, University of Oulu, Finland
Prof. Nicola Pasquino, Università degli Studi di Napoli Federico II, Italy
Prof. Stavros Ntalampiras, University of Milan, Italy
Prof. Tao Jiang, Harbin Engineering University, China
Prof. Tomonobu Senju, University of the Ryukyus, Japan
Prof. Wei Wei, Shandong University, China
Assoc. Prof. Dr. Denis B. Solovev, Far Eastern Federal University (FEFU) and Russian Customs Academy, Russian Federation
Assoc. Prof. Dr. Hung-Peng Lee, Fortune Institute of Technology, Taiwan
Assoc. Prof. Dr. Mu-Song Chen, Da-Yeh University, Taiwan, Taiwan, Province of China
Assoc. Prof. Dr. Sohrab Mirsaiedi, Beijing Jiaotong University, China
Assoc. Prof. Dr. Yilun Shang, Northumbria University, United Kingdom
Assoc. Prof. Wg.Cdr. Dr. Tossapon Boongoen, Aberystwyth University, United Kingdom
Asst. Prof. Dr. Amjad Gawanme, University of Dubai, United Arab Emirates
Asst. Prof. Dr. Dinh-Thanh Do, Industrial University of Ho Chi Minh City, Viet Nam
Dr. Anna Formica, Istituto di Analisi dei Sistemi ed Informatica "Antonio Ruberti" National Research Council, Italy
Dr. Arcangelo Castiglione, University of Salerno, Italy
Dr. B. Justus Rabi, Toc H Institute Of Science & Technology, India
Dr. Dahaman Ishak, Universiti Sains Malaysia, Malaysia
Dr. Enrico M. Vitucci, University of Bologna, Italy
Dr. Hamid Alinejad-Rokny, University of New South Wales (UNSW Sydney), Australia
Dr. Haoxiang Wang, Cornell University, United States
Dr. Hazlee Azil Illias, Universiti Malaysia, Malaysia
Dr. Jens Klare, Fraunhofer FHR, Germany
Dr. Juan Antonio Martinez, University of Murcia, Spain
Dr. Luca Di Nunzio, University of Rome "Tor Vergata", Italy
Dr. Lutfu Saribulut, Adana Science and Technology University, Turkey
Dr. Ramón Durán, University of Valladolid, Spain
Dr. Ratheesh Kumar Meleppat, University of California Davis, United States
Dr. Saad Qaisar, National University of Sciences and Technology Pakistan and University of Jeddah, Pakistan
Dr. Saifdar Hussain Bouk, Old Dominion University, United States
Dr. Sukumar Senthilkumar, Universiti Sains Malaysia, Malaysia
Dr. Sunil Jha, ICAR-Central Soil Salinity Research Institute, India
Dr. T Vijay Muni, K L Deemed to be University, India
Dr. Taghi Javdani Gandomani, Shahrokh University, Iran, Islamic Republic of
Dr. Thinagarai Perumal, University Putra Malaysia, Malaysia
Dr. Tomoaki Nagaoka, Japan National Institute of Information and Communications Technology, Japan
Dr. Winai Jaikla, King Mongkut's Institute of Technology Ladkrabang, Thailand
Dr. XIAOJUN Li, Gotion Inc., United States
Mr. Yun She, Technical Research Center in Caterpillar, United States
Ahmed Ah-yasari, University of Babylon, Iraq
Nuryono Satya Widodo, Universitas Ahmad Dahlan, Indonesia

Editorial Board:

Prof. Ali Rostami, Tabriz University, Iran, Islamic Republic of
Prof. Andrea Sciarone, University of Genoa, Italy
Prof. Deepali Mehrotra, AMITY School of Engineering and Technology, India
Prof. Emilio Jiménez Macías, University of La Rioja, Spain
Prof. Enrico Tronci, Sapienza University of Rome, Italy
Prof. Hans Dieter Schotten, University of Kaiserslautern, Germany
Prof. Marco Mugnaini, University of Siena, Italy
Prof. Marco Mussetta, Politecnico di Milano, Italy

USER

Username
Password
 Remember me
Login

CITATION ANALYSIS

- Dimensions
- Google Scholar
- Scholar Metrics
- Scinapse
- Scopus

QUICK LINKS

- Editorial Boards
- Reviewers
- Abstracting and Indexing
- Guide of Authors
- Online Papers Submission
- Peer Review Process
- Publication Fee
- Publication Ethics
- Visitor Statistics
- DOI Deposit Report
- Contact Us

HOW TO SUBMIT

How to submit a pap...

JOURNAL CONTENT

Search
Search Scope All
Search

Browse

- By Issue
- By Author
- By Title

INFORMATION

- For Readers
- For Authors
- For Librarians

Prof. Mohamed El-Shimy Mahmoud Bekhet, Ain Shams University, Egypt
 Prof. Mohamed Hadi Habaebi, International Islamic University Malaysia (IIUM), Malaysia
 Prof. Mohamed S. Hassan, American University of Sharjah, United Arab Emirates
 Prof. Paweł Rozga, Lodz University of Technology, Poland
 Prof. Pedro S. Moura, University of Coimbra, Portugal
 Prof. Priya Ranjan, SRM University, India
 Prof. Saeed Olyaei, Shahid Rajaee Teacher Training University, Iran, Islamic Republic of
 Prof. Sergio Takeo Kofuji, University of São Paulo, Brazil
 Prof. Tapas Kumar Maiti, Dhirubhai Ambani Institute of Information and Communication Technology, Japan
 Prof. Yu Song Meng, National Metrology Centre, A*STAR, Singapore
 Dr. Afida Ayob, The National University of Malaysia, Malaysia
 Dr. Ahmad Fairuz Omar, Universiti Sains Malaysia, Malaysia
 Dr. Ai-ichiro Sasaki, Kindai University, Japan
 Dr. Alessandro Carrega, National Inter-University Consortium of Telecommunications (CNIT), Italy
 Dr. Andrews Samraj, Mahendra Engineering College, India
 Dr. Ankan Bhattacharya, Hooghly Engineering & Technology College, India
 Dr. Arun Sharma, Indira Gandhi Delhi Technical University for Women, India
 Dr. Arvind R Singh, University of Pretoria, India
 Dr. Asan Gani Abdul Muthalif, Qatar University, Qatar
 Dr. Ashraf A. Tahat, Princess Sumaya University for Technology, Jordan
 Dr. Asruinizam Abd Manaf, Universiti Sains Malaysia, Malaysia
 Dr. Azilah Saparon, Universiti Teknologi MARA, Malaysia
 Dr. Baharuddin Ismail, Universiti Malaysia Perlis, Malaysia
 Dr. Chockalingam Aravind Vaithilingam, Taylor's University, Malaysia
 Dr. Christoph Hintermüller, Johannes Kepler University Linzdisabled, Austria
 Dr. Dhananjay Singh, Hankuk University of Foreign Studies, Korea, Republic of
 Dr. Dheeraj Joshi, Delhi Technological University Delhi, India
 Dr. Donato Impedovo, Università degli Studi di Bari, Italy
 Dr. Emmanouil G. Spanakis, University of Maryland, United States
 Dr. Erwan Sulaiman, Universiti Tun Hussein Onn Malaysia, Malaysia
 Dr. Farhan Ahmed Siddiqui, Dickinson College, United States
 Dr. Fazirulhisham Hashim, University Putra Malaysia, Malaysia
 Dr. Gulivindala R. Suresh, Saveetha School of Engineering, India
 Dr. Guillermo P. Falconi, Technische Universität München, Germany
 Dr. Hamzah Ahmad, University Malaysia Pahang, Malaysia
 Dr. Haytham Elmiligi, Thompson Rivers University, Canada
 Dr. Hemant Kumar Rath, TCS Research and Innovation, Bhubaneswar, India, India
 Dr. Hüseyin Kemal Çakmak, Karlsruhe Institute of Technology (KIT), Germany
 Dr. Jahariah Sampe, Institute of Microengineering and Nanoelectronics, Malaysia
 Dr. Jing-Sin Liu, Institute of Information Science, Academia Sinica, Taiwan, Province of China
 Dr. João Paulo Barraca, Universidade de Aveiro, Portugal
 Dr. Jose-Luis Sanchez-Romero, Universitat d'Alacant, Spain
 Dr. Juan Antonio Martinez, University of Murcia, Spain
 Dr. Kalaivani Chellappan, Universiti Kebangsaan Malaysia, Malaysia
 Dr. Kandarpa Kumar Sarma, Gauhati University, India
 Dr. Kang Song, Qingdao University, China
 Dr. Khalil Hassan Sayidmarie, Nineveh University, Iraq
 Dr. Lalit Garg, University of Malta, Malta
 Dr. Leo Yi Chen, Newcastle University, United Kingdom
 Dr. Liang-Bi Chen, National Penghu University of Science and Technology, Taiwan, Province of China
 Dr. M. Udin Harun Al Rasidy, Politeknik Elektronika Negeri Surabaya (PENS), Indonesia
 Dr. Mahmoud Hassaballah, South Valley University, Egypt
 Dr. Maaruf Ali, Epoka University, Albania
 Dr. Manar Mohaisen, Northeastern Illinois University, United States
 Dr. Manoj Kumar Taleja, University School of Information, Communication and Technology, India
 Dr. Marco Carratu, Università degli Studi di Salerno, Italy
 Dr. Md. Farhad Hossain, Bangladesh University of Engineering and Technology (BUET), Bangladesh
 Dr. Md. Rajibul Islam, Bangladesh University of Business and Technology, Bangladesh
 Dr. Mohamad M. Awad, National Council for Scientific Research, Lebanon
 Dr. Mohammed Abdel-Megeed Mohammed Salem, German University in Cairo, Egypt
 Dr. Mohammad Lutfi Othman, University Putra Malaysia, Malaysia
 Dr. Mohd Anwar Zawawi, Universiti Malaysia Pahang, Malaysia
 Dr. Mohd Hafizi Ahmad, Universiti Teknologi Malaysia, Malaysia
 Dr. Mohd Khair Hassan, Universiti Putra Malaysia, Malaysia
 Dr. Muhammad Haroon Yousaf, University of Engineering and Technology Taxila, Pakistan
 Dr. Muhammad Irfan, Najran University Saudi Arabia, Saudi Arabia
 Dr. Muzamir Isa, Universiti Malaysia Perlis, Malaysia
 Dr. Mritha Ramalingam, Universiti Malaysia Pahang, Malaysia
 Dr. Natarajan Prabaharan, SASTRA Deemed University, India
 Dr. Narottam Das, Central Queensland University, Australia
 Dr. Nasrul Humaimi Mahmood, Universiti Teknologi Malaysia, Malaysia
 Dr. Nico Saputro, Universitas Katolik Parahyangan, Indonesia
 Dr. Norashid Aziz, Universiti Sains Malaysia, Malaysia
 Dr. Norizam Sulaiman, Universiti Malaysia Pahang, Malaysia
 Dr. Olympia Nikolaeva Roeva, Institute of Biophysics and Biomedical Engineering, Bulgarian Academy of Science, Bulgaria
 Dr. Omar Alfandi, Zayed University, United Arab Emirates
 Dr. Orhan Ekren, Ege University Solar Energy Institute, Turkey
 Dr. Peyman Kabiri, Iran University of Science and Technology, Iran, Islamic Republic of
 Dr. Pramod Kumar Singh, ABV-Indian Institute of Information Technology and Management, India
 Dr. Pushpendra Singh, JK Lakshmiप University, India
 Dr. Radek Fujdiak, Brno University of Technology, Czech Republic
 Dr. Rahman Dashti, Persian Gulf University, Iran, Islamic Republic of
 Dr. Riccardo Pecori, Mercatorum University, Italy
 Dr. Rodrigo Nava, Luxembourg Institute of Science and Technology, Luxembourg
 Dr. Sanjay Singh, Manipal Institute of Technology, India
 Dr. Siti Anom Ahmad, Universiti Putra Malaysia (UPM), Malaysia
 Dr. Shailesh Chaudhari, Samsung Semiconductor, Inc., United States
 Dr. Shao Ying Zhu, Birmingham City University, United Kingdom
 Dr. Shaode Yu, Communication University of China, United States
 Dr. Shibiao Wan, University of Nebraska Medical Center, United States
 Dr. Sobia Baig, COMSATS University Islamabad Lahore Campus, Pakistan
 Dr. Soo Siang Yang, Universiti Malaysia Sabah, Malaysia
 Dr. Subhasis Bhattacharjee, Adobe Systems India Private Limited, India
 Dr. Sudhir Routray, CMR Institute of Technology, Bangalore, India
 Dr. Syed Muslim Shah, Capital University of Science and Technology, Pakistan
 Dr. Tamoy Maitra, Kalinga Institute of Industrial Technology, India
 Dr. Teerapat Sanguankotchakorn, Asian Institute of Technology, Thailand
 Dr. Theofilos Chrysikos, University of Patras, Greece
 Dr. Vicente Ferreira De Lucena, Federal University of Amazonas, Brazil
 Dr. Vivek Kumar Sehgal, Jaypee University of Information Technology, India
 Dr. Vladislav Skorpil, Brno University of Technology, Czech Republic
 Dr. Xiaojun Li, Gotion Inc., United States
 Dr. Xin Li, University of Florida, United States
 Dr. Ying-Ren Chien, National I-Lan University, Taiwan, Province of China
 Dr. Zeashan Hameed Khan, Bahria University, Pakistan
 PhD. Juan L. Navarro-Mesa, Universidad de Las Palmas de Gran Canaria, Spain

Mr. Cheng-Lian Liu, University of Pacific, United States

Mr. E Hari Krishna, Kakatiya University, India

Mr. Kamal Kant Sharma, Chandigarh University, India

82765037

Bulletin of EEI Stats

Bulletin of Electrical Engineering and Informatics (BEEI)

ISSN: 2089-3191, e-ISSN: 2302-9285

This journal is published by the [Institute of Advanced Engineering and Science \(IAES\)](#) in collaboration with [Intelektual Pustaka Media Utama \(IPMU\)](#).

Effect on signal magnitude thresholding on detecting student engagement through EEG in various screen size environment

I Putu Agus Eka Darma Udayana¹, Made Sudarma², I Ketut Gede Darma Putra³, I Made Sukarsa³

¹Department of Engineering Science, Faculty of Engineering, Udayana University, Denpasar, Indonesia

²Department of Electrical Engineering, Faculty of Engineering, Udayana University, Denpasar, Indonesia

³Department of Information Technology, Faculty of Engineering, Udayana University, Denpasar, Indonesia

Article Info

Article history:

Received Sep 23, 2022

Revised Dec 16, 2022

Accepted Jan 6, 2023

Keywords:

Convolutional neural network
Elektroencefalogram
Normalization data
Screen size environment
Signal magnitude area
thresholding

ABSTRACT

In this study, a new method was developed to detect student involvement in the online learning process. This method is based on convolutional neural network (CNN) as a classifier with an emphasis on the preprocessing process combined with a new feature in the form of signal magnitude area (SMA) thresholding. In this study, the data used as training data is a public dataset that emphasizes the decomposition of electroencephalography (EEG) signals into individual signal processing. Twenty subjects were taken to be used as test data, with each subject watching online learning lectures in the field of computer science on three different devices, either with a flat screen, a curved screen or a smartphone screen that is smaller than two standard computer monitors. Based on the study's results, it is known that the change in screen size is inversely proportional to the level of student attention, the smaller the screen, the lower the student's attention. For classification results, the model equipped with SMA thresholding outperformed the standard classifier by 8.33% with a test set of 20 people.

This is an open access article under the [CC BY-SA](#) license.



Corresponding Author:

Made Sudarma

Department of Engineering Science, Faculty of Engineering, Udayana University
P.B. Sudirman Street, West Denpasar District, Denpasar City, Bali Province, Indonesia
Email: msudarma@unud.ac.id

1. INTRODUCTION

In the face of the COVID-19 pandemic, a series of government regulations were issued to mitigate the impact of this virus in the daily lives of the Indonesian people. Minister of Education decree No. 4 of 2020 states directives that make online learning mandatory for schools and tertiary institutions in Indonesia [1]. This considerable change in teaching and learning paradigm raises questions in academia. Although research discussing the effectiveness of online learning has been implemented before [2], [3], but on a large scale like this it hasn't been done much [4], not only in terms of education but also many preliminary studies conducted in the health sector, especially in the field of eye health [5] and ergonomics [6], [7]. Given that online learning, which is the primary way of teaching and learning during this pandemic, requires a very large screen time compared to normal conditions, the diverse profiles of Indonesian students make the tools used in carrying out this process an interesting variable to study. A similar study has been conducted, but the scope is in the work environment and was carried out in Korea [8]. In several fatigue studies that are mostly done in the world of transportation [9]-[14], on screen time in education has not become a research problem that many people do [15]. However, in several previous studies have indeed been implemented on human-computer interaction, the application of brain waves has not become a standard parameter to be used as an aspect of assessing the conditions that occur, although in several studies the brain wave parameters show a more stable and objective value and can be tested by accurate than other biological parameters [16]-[18]. Brain waves are a test parameter

that is often used in defense-based research [19], [20], research in the branch of advertising science as well as research in the branch of psychology [21]-[25]. This study utilizes what has been done previously by researchers at Carnegie Mellon University which has provided a data set that measures the level of engagement and student focus on an online learning activity [26]. However, in this study, no good data cleaning was carried out, and no statistical tests were carried out on the data before transforming it into a process tensor in the classifier. In this study, each research subject will be compared with all available data to make this research more objective with the introduction of a thresholding system based on the signal magnitude area (SMA) method so that the classifier obtained in the end will be more sensitive to local overfitting than the classifier, which does not use a thresholding system which is strengthened by data from previous studies with almost similar experiments [27]. In addition to measuring the effectiveness of using SMA, this study will also compare the effectiveness of using different screen sizes in online learning. Research related to the effectiveness of screen size in learning has been done [28]-[30]. However, in this case the researcher will use brain wave parameters and self-assessment to determine the participant's level of focus when using the three different screen sizes.

2. METHOD

2.1. Research design

In this study, the author focuses on the effect of screen size on the level of attention and understanding of students in distance learning. In this research design, si classification uses a combination of SMA which has been modified by combining it with the convolutional neural network (CNN) classifier with multiple input variables. Figure 1 shows the location of the sensors that can be observed in brainwave data retrieval. The data retrieval results using these sensors will be processed to obtain brainwave signals affecting student focus. In general, this experiment is divided into 4 major phases, namely preprocessing data, converting data into SMA-scale data, then converting the data into tensors for processing on the CNN network, and the last stage is classification using a multivariable CNN classifier using deep learning methods. Preprocessing is the stage where the data is cleaned of artifacts and noise using the z-score averaging method to be processed in the next phase. Then the next step is to process the data into a signal magnitude scale by taking the median of each data and comparing it with a data point. The next step is the data is prepared to be entered into a CNN-based artificial neural network after the conversion is complete then the data is forwarded to a CNN-based classifier that has been trained previously by public data that focuses on student engagement and focuses attention on the content presented on a digital screen [26].




Figure 1. Point of brainwave location [31]

In the next process, the classifier will classify the participants into the not-engagement class and the focused (engaged) class. In the final process, the model will be tested with a parameter matrix which includes classical methods such as sensitivity accuracy, which will be combined with an output comparison where the predictions of a system will be compared with the original specifications and later, the general system performance will be evaluated according to the data in the matrix. Figure 2 shows the steps for classifying a person's attention level using this experiment.

Figure 2 shows the steps in proving the method offered, the first step in this research is to collect brain wave data. This data can be obtained from an electroencephalography (EEG) tool that can record the participants' brain waves and then be normalized using z-score normalization. To remove the noise from the brainwave data, a denoising process was carried out using the SMA method to obtain the allowable data value for analysis. This research focuses on the preprocessing process, which needs to be addressed in previous research and also uses public data tested by previous researchers [32], not using private data whose data validity may be doubted. The normalized data is collected in a feature matrix, and the matrix is transformed into data that matches the CNN features to be used. The data will later be tested using a modified model using public data. This model recognizes two states, namely a state of comfort and a state of discomfort. The class will predict one of the two outputs to be used as a reference in evaluating the performance model. Table 1 is an example of the results of recording brain waves using EEG. From the results of these recordings, the system can record several attributes of the brain waves in the form of attention level, raw data, delta, theta, alpha, beta, and gamma signals.




Figure 2. System overview

Table 1. Sample of brainwave data

No	Att	Raw	Delta	Theta	Alpha	Beta	Gamma
1	77	612	1168234	76559	17671	31863	5930
2	61	650	1000755	284199	106613	137788	44498
3	61	555	1000755	284199	106613	137788	44498
4	69	359	1397841	83854	13089	39550	12335
5	69	42	1397841	83854	13089	39550	12335
6	70	-6	220810	42100	10811	6305	1055
7	81	33	882279	446036	200258	19463	12986
8	81	213	882279	446036	200258	19463	12986
9	88	222	538825	90035	248874	10521	5208
10	88	-43	538825	90035	248874	10521	5208
12	90	266	486405	532454	148791	21272	4584

Data format:

Att	: attention level measured by neurosky algorithm	Raw	: unfiltered EEG brainwave signal
Delta	: signal delta EEG brainwave	Theta	: signal theta EEG brainwave
Alpha	: signal alpha EEG brainwave	Beta	: signal beta EEG brainwave
Gamma	: signal gamma EEG brainwave		

In the final stage, the data in this study will be evaluated and tested based on a confusion matrix as a test method that will produce system accuracy, focus comparisons when using different devices, and comparisons of the CNN method without preprocessing and using SMA preprocessing. To observe what signals, need to be taken to observe student focus, Figure 2 is the condition of a person with a signal recording range from 0 to 40 Hz. Based on Table 2, it can be seen that the characteristics of the data tested in this study where the data will be parsed according to their respective dimensions, some of which symbolize the SMA index, which represent the brain waves that have been divided according to the EEG power band standard, namely four types of alpha beta delta waves and a scale property attention results from device manufacturers and they will be compared with self-assessment scales made by participants on the training dataset.

Table 2. Characteristics of EEG brain waves [33]

Brain wave	Frequency range (Hz)	Occurrence
Delta	0–4	Condition sleep
Theta	4–8	Condition going to sleep
Alpha	8–13	Condition relax, calm, thinking
Beta	15–40	Condition focus, alert, mental work, anxiety including

2.2. Preprocessing EEG

In the initial step, the dataset that will be used as training data will be normalized. Figure 3 is the histogram of the dataset that will be used as system training data. Figure 3 is a histogram of the brainwave dataset that will be used as training data, where Figure 3(a) shows the results of the attention level data recording, Figure 3(b) shows the raw data from the brainwave recording while Figures 3(c)-(f) shows the recorded signal to be observed for the training data.




Figure 3. Histogram of features dataset (a) attention level, (b) dataset raw data, (c) delta signal, (d) theta signal, (e) alpha signal, and (f) beta signal

The initial and most crucial part of this research is retrieving data from brain waves and ensuring that the data taken is ready to be analyzed and included in the classifier. In this process, the normalization process will be implemented using the z-score method with the following formula [34].

$$Z = \frac{X - \bar{X}}{SD_X} \quad (1)$$

After normalizing the data, there will be some standardized data using the z-score calculation, and Figure 4 is the histogram of the normalized data using the z-score calculation. Data normalization is making several variables have the same range of values, none of which are too large or too small, to make statistical analysis more straightforward. The normalization method used in this study is the z-score, the standard score. The essence of this technique is to transform data from values to a broad scale where the mean is zero, and the standard deviation is one. The results of normalization are shown in Figure 4, where Figure 4(a) shows the histogram of normalized attention level results, Figure 4(b) shows the results of normalization of raw data, and Figures 4(c)-(f) shows the results of normalizing the EEG signal.




Figure 4. Histogram of data (a) attention level after normalization, (b) raw data after normalization, (c) delta signal after normalization, (d) theta signal after normalization, (e) alpha signal after normalization, and (f) beta signal after normalization

After the normalization process is carried out using the z-score method. The results of brain wave normalization will be processed using the SMA method to detect outline data so that the data obtained avoids overfitting. The following is the formula used for preprocessing using the SMA method [33].

$$\text{SMA} = \sum_{i=1}^{N-1} |x_{(i+1)} - x_i| \quad (2)$$

Before entering the machine learning process, the normalized data must first have a threshold so that noise does not occur during machine learning processing. This method will later adjust the characteristics of the data with machine learning methods and the characteristics of the single band EEG tool used in this study. The determination of the threshold or threshold in this study uses the following equation.

$$\text{EEGThreshold}_{(x)} = \text{AVG}(\text{SMAs}_{(x)}) + \text{STD}(\text{SMAs}_{(x)}) \quad (3)$$

In calculating the threshold using the formula above, the researcher will determine the threshold for brain wave data permitted to be processed using the CNN method. The threshold results from this calculation are illustrated in Figures 5(a) and 5(b) with the threshold used as a natural evaluator to compare individuals and populations. Figure 5(a) shows the recorded brain waves divided using the SMA scale to produce groups above and below the threshold, while Figure 5(b) shows the allowable threshold using the SMA scale. The use

of the SMA method in this study aims to standardize the signals obtained to improve the accuracy of the test results.




Figure 5. Example of the frequency of brain wave recordings (a) normal data before the threshold process and (b) results threshold using the SMA method

2.3. EEG classification with CNN

CNN is a method derived from the development of the multilayer perceptron (MLP) for processing two-dimensional data [35]. Figure 6 is a design for applying the CNN method to classify recorded brainwave signals as focused or out of focus. CNN is a method that was first developed under the name NeoCognitron by a Japanese researcher named Kunihiko Fukushima [36]. The concept developed by Kunihiko Fukushima was later developed by a researcher from the USA on behalf of LeCun. LeCun succeeded in developing CNN's initial model under the name LeNet in research that discussed number and handwriting recognition. The application of the CNN method is getting more and more popular, thanks to the fact that in 2012 Alex Krizhevsky won the ImageNet large scale visual recognition challenge 2012 competition using the CNN method. This further proves the CNN method as the best object classification method in the image, after outperforming other machine learning methods such as SVM [37].




Figure 6. CNN architecture method

2.4. Testing scenario

In this study, testing the proposed method will be carried out on 20 participants. Each participant will be given approximately 10 minutes to watch learning videos related to the introduction of algorithms and programming. In these 10 minutes, the recording duration will only be 5 minutes to reduce data errors at the test's beginning and end. This test will be carried out on each participant using three different devices: a curve screen, a flat screen and a smartphone. In addition to assessing the recorded brain waves, this study will also conduct a self-assessment based on standardized questions with psychological standards. The purpose of this self-assessment is that later there will be two sides to the measurement, which will result in the test results being accountable. Figure 7 is testing documentation when students carry out the online learning process using different types of screens, where Figure 7(a) shows the user using a curve screen, Figure 7(b) using a flat screen, and Figure 7(c) using a smartphone screen.

Figure 7(a) is the process of recording student brain waves during online learning using a curve screen, and you can see the student's head using the tool used to record brain waves. Figure 7(b) shows the process of recording brain waves using a flat screen and Figure 7(c) shows the process of recording brain waves when students use smartphones. The brain recordings from different screens will later be compared to produce which

device produces the highest focus when used as a learning medium. Not only comparing, but this study also uses the CNN method to classify attention from brain wave recordings and compares it with the accuracy of the application of the CNN+SAM method when classifying participants' attention levels.




Figure 7. Brainwave testing and data collection with (a) curve screen, (b) flat screen, and (c) smartphone screen

3. RESULTS AND DISCUSSION

3.1. Testing with different screen scenario

In this study, each participant listened to a lecture on the introduction of algorithms and programming. Each lecture session in this study was conducted for approximately 10 minutes for each module. Each participant was given a different screen for each module to become a random variable in this study. In this test with a duration of 10 minutes, brain wave recording will start from the 5th minute to the 10th minute. This was done to minimize the imperfection of the data because the participants in the first minute currently adapting to the use of the tool. Following the test scenario described, the total number of participants used is 20. Table 3 is a sample of test data that displays the results of 10 participants' brain recordings with different screen types like curved, flat, and smartphone screens. The average results of each difference in screen size used in this study will be presented in Table 4.

Table 3 shows the results of recording user brain waves while watching learning videos with different types of screens: curve, flat, and smartphone, which were observed by recording brain waves and giving a questionnaire in the form of a self-assessment to validate the results of brain wave recording. If you look at it broadly, it may be obscure that the difference in the level of attention of different devices is obvious. To see the effect of the differences in each screen used is presented in Table 4.

Table 4 shows the average user attention level results when using the curve, flat, and smartphone screens. The average value attention level for curved screens is 71, flat screens are 68, and smartphone screens are 65. The results of this attention level are also supported by the results of the self-assessment questionnaire, which is directly proportional to the average attention level results. In general, the results of this test show that the average level of attention when users use curved screen devices is significantly more than flat screens and smartphones. This result is because the large and curved screen makes the user comfortable watching the lessons given it will indirectly increase the user's level of attention.

Table 3. Sample test results with different screen types

Sample user	Screen type	Raw data	Alpha wave	Beta wave	Delta wave	Attention level	Self-assessment of attention
001	Curved	612	11804	74577	12935	75	1
002	Flat	534	22302	28650	12046	75	0
003	Smartphone	33	25023	18700	32025	60	1
004	Flat	650	30609	21250	14027	70	1
005	Flat	507	44000	16500	21250	70	0
006	Flat	-43	57625	17700	23090	76	1
007	Curved	465	33000	51250	24270	78	1
008	Curved	272	17890	72000	13210	80	1
009	Smartphone	80	24020	48730	32025	73	1
010	Smartphone	12	24021	38650	31020	72	1

Table 4. Average test results with different screen types

Number of sample user	Screen type	Average raw data	Average alpha wave	Average beta wave	Average delta wave	Average attention level	Self-assessment of attention
20	Curved	75.56	41383.25	24319.39	605787.35	71	18
20	Flat	73.12	38112.12	23452.78	60782.45	68	16
20	Smartphone	73.06	34235.67	18456.81	61973.65	65	14

3.2. Comparison of CNN classification and CNN+SMA thresholding

In the experiment, the CNN classifier and the CNN classifier combined with the SMA were developed to predict the study's degree of engagement between subjects from brain wave data. The results of predictions and experiments that have been carried out will be compared with the results of each student's self-assessment to find out whether the predictions made by the classifier are correct, and then statistical calculations are carried out, which are used to measure the effectiveness of the model in measuring the level of student involvement. Table 5 is the result of testing the application of the SMA method as preprocessing to classify the level of student engagement when doing online learning.

Table 4 shows the SMA method combined with the CNN method to classify whether the user is focused when given video learning material. Based on tests involving 20 users, it was found that the prediction results given by the system by reading brain waves using the CNN method were smaller than the combination of the CNN and SMA methods. The prediction results from a system that combines the CNN and SMA methods have a smaller prediction error than the CNN method, as evidenced by the answers from the user's direct self-assessment. Based on system testing, it was found that using the CNN method combined with SMA at the preprocessing stage has a higher accuracy value than relying solely on the CNN method, where combining these methods can provide an increase of 8.33%.

Table 5. Comparison of CNN and CNN + SMA method

No	Screen type	Prediction of attention level with CNN		Prediction attention level with CNN + SMA		CNN accuracy (%)	CNN + SMA accuracy (%)
		True	False	True	False		
1	Curved	17	3	18	2	85	90
2	Flat	14	6	17	3	70	85
3	Smartphone	15	5	16	4	75	80
		Average Accuracy				76.67	85

4. CONCLUSION

Based on the study results, adding a SMA as a thresholding method at the preprocessing stage in the development of an engagement detection system in online learning increased the classifier's performance by 8.33%. The results of experiments conducted in this study indicate a correlation between the addition of the SMA index with the addition of the level of attention with a proprietary algorithm produced by Neurosky as a device manufacturer. These results indicate that the potential of the SMA method to be developed as a parameter to calculate brain wave relaxation is work that needs to be explored in further research. In addition, using a curve screen produces a higher attention level value than using flat screens and smartphones in the implementation of distance learning. Education providers can consider it one of the concerns to improve the quality of student learning.

ACKNOWLEDGEMENTS

In the end, this research was able to run as expected, for that the researchers would like to thank to Directorate General of Higher Education, Ministry of Education, Culture, Research and Technology have provided funding for this research, Udayana University which has provided space for the implementation of research and has provided laboratories with various sizes and types of screens for system testing.

REFERENCES

- [1] Ministry of Education and Culture, Ministry of Religion, Ministry of Health, and Ministry of Home Affairs, "Guidelines for Organizing Learning in the Academic Year and New Academic Year during the Corona Virus Disease Pandemic (Covid-19)," *kemdikbud.go.id*, 2020, Accessed: Jan. 11, 2022. [Online]. Available: <https://www.kemdikbud.go.id/main/blog/2020/06/panduan-penyelenggaraan-pembelajaran-pada-tahun-ajaran-dan-tahun-akademik-baru-di-masa-covid19>
- [2] L. D. Lapitan, C. E. Tiangco, D. A. G. Sumalinog, N. S. Sabarillo, and J. M. Diaz, "An effective blended online teaching and learning strategy during the COVID-19 pandemic," *Education for Chemical Engineers*, vol. 35, pp. 116–131, Apr. 2021, doi: 10.1016/j.ece.2021.01.012.
- [3] M. Sukardi, S. Giatman, Haq, Sarwandi, and Y. F. Pratama, "Effectivity of Online Learning Teaching Materials Model on Innovation Course of Vocational and Technology Education," *Journal of Physics: Conference Series*, vol. 1387, no. 1, p. 012131, Nov. 2019, doi: 10.1088/1742-6596/1387/1/012131.
- [4] Y. T. Prasetyo *et al.*, "Determining Factors Affecting the Acceptance of Medical Education eLearning Platforms during the COVID-19 Pandemic in the Philippines: UTAUT2 Approach," *Healthcare*, vol. 9, no. 7, p. 780, Jun. 2021, doi: 10.3390/healthcare9070780.
- [5] A. A. Jónsdóttir, Z. Kang, T. Sun, S. Mandal, and J.-E. Kim, "The Effects of Language Barriers and Time Constraints on Online Learning Performance: An Eye-Tracking Study," *Human Factors: The Journal of the Human Factors and Ergonomics Society*, p. 001872082110109, May 2021, doi: 10.1177/00187208211010949.
- [6] E. Peper, V. Wilson, M. Martin, E. Rosegard, and R. Harvey, "Avoid Zoom Fatigue, Be Present and Learn," *NeuroRegulation*, vol. 8, no. 1, pp. 47–56, Mar. 2021, doi: 10.15540/nr.8.1.47.

[7] R. Riandini, S. A. Aditya, R. N. Wardhani, and S. Setiowati, "Prediction of Digital Eye Strain Due to Online Learning Based on the Number of Blinks," *Indonesian Journal of Electrical Engineering and Informatics (IJEI)*, vol. 10, no. 2, Jun. 2022, doi: 10.52549/ijeei.v10i2.3500.

[8] S. Park *et al.*, "Effects of display curvature, display zone, and task duration on legibility and visual fatigue during visual search task," *Applied Ergonomics*, vol. 60, pp. 183–193, Apr. 2017, doi: 10.1016/j.apergo.2016.11.012.

[9] Q. Abbas and A. Alshedy, "Driver Fatigue Detection Systems Using Multi-Sensors, Smartphone, and Cloud-Based Computing Platforms: A Comparative Analysis," *Sensors*, vol. 21, no. 1, p. 56, Dec. 2020, doi: 10.3390/s21010056.

[10] Z. Zhao, N. Zhou, L. Zhang, H. Yan, Y. Xu, and Z. Zhang, "Driver Fatigue Detection Based on Convolutional Neural Networks Using EM-CNN," *Computational Intelligence and Neuroscience*, vol. 2020, pp. 1–11, Nov. 2020, doi: 10.1155/2020/7251280.

[11] B. K. Savas and Y. Becerikli, "Real Time Driver Fatigue Detection System Based on Multi-Task ConNN," *IEEE Access*, vol. 8, pp. 12491–12498, 2020, doi: 10.1109/access.2020.2963960.

[12] T. Tunçer, S. Dogan, and A. Subasi, "EEG-based driving fatigue detection using multilevel feature extraction and iterative hybrid feature selection," *Biomedical Signal Processing and Control*, vol. 68, p. 102591, Jul. 2021, doi: 10.1016/j.bspc.2021.102591.

[13] Q. Zhuang, Z. Kehua, J. Wang, and Q. Chen, "Driver Fatigue Detection Method Based on Eye States With Pupil and Iris Segmentation," *IEEE Access*, vol. 8, pp. 173440–173449, 2020, doi: 10.1109/access.2020.3025818.

[14] M. Rashid, M. Mustafa, N. Sulaiman, N. R. H. Abdullah, and R. Samad, "Random Subspace K-NN Based Ensemble Classifier for Driver Fatigue Detection Utilizing Selected EEG Channels," *Traitement du Signal*, vol. 38, no. 5, pp. 1259–1270, Oct. 2021, doi: 10.18280/ts.380501.

[15] R. Hooda, V. Joshi, and M. Shah, "A comprehensive review of approaches to detect fatigue using machine learning techniques," *Chronic Diseases and Translational Medicine*, vol. 8, no. 1, pp. 26–35, Feb. 2022, doi: 10.1016/j.cdtm.2021.07.002.

[16] S. Chandharakool *et al.*, "Effects of Tangerine Essential Oil on Brain Waves, Moods, and Sleep Onset Latency," *Molecules*, vol. 25, no. 20, p. 4865, Oct. 2020, doi: 10.3390/molecules25204865.

[17] Y. Liu, Z. Lan, J. Cui, O. Sourina, and W. M-Wittig, "Inter-subject transfer learning for EEG-based mental fatigue recognition," *Advanced Engineering Informatics*, vol. 46, p. 101157, Oct. 2020, doi: 10.1016/j.aei.2020.101157.

[18] A. Sakalle, P. Tomar, H. Bhardwaj, D. Acharya, and A. Bhardwaj, "A LSTM based deep learning network for recognizing emotions using wireless brainwave driven system," *Expert Systems with Applications*, vol. 173, p. 114516, Jul. 2021, doi: 10.1016/j.eswa.2020.114516.

[19] C. Hamesse, J. Nelis, R. Haelterman, and S. L. Bue, "Lessons Learned and New Research Opportunities in Immersive Technologies for Defence Applications," *Sci-Fi IT 2020*, Sep. 2020, Accessed: Dec. 30, 2022. [Online]. Available: https://scholar.google.com/citations?view_op=view_citation&hl=en&user=19a7OPUAAAAJ&citation_for_view=19a7OPUAAA AJ:u-x608ySG0sC

[20] C. D-Piedra, M. V. Sebastián, and L. L. D. Stasi, "EEG Theta Power Activity Reflects Workload among Army Combat Drivers: An Experimental Study," *Brain Sciences*, vol. 10, no. 4, p. 199, Mar. 2020, doi: 10.3390/brainsci10040199.

[21] C. M. Dunham *et al.*, "Brainwave Self-Regulation during Bispectral IndexTM Neurofeedback in Trauma Center Nurses and Physicians after Receiving Mindfulness Instructions," *Frontiers in Psychology*, vol. 10, Sep. 2019, doi: 10.3389/fpsyg.2019.02153.

[22] A. Hassan *et al.*, "Effects of Walking in Bamboo Forest and City Environments on Brainwave Activity in Young Adults," *Evidence-Based Complementary and Alternative Medicine*, vol. 2018, pp. 1–9, 2018, doi: 10.1155/2018/9653857.

[23] V. Stefanidis, S. Papavlasopoulos, M. Poulos, and N. Bardis, "Bibliometrics EEG Metrics Associations and Connections Between Military Medicine and the Differentiate Post Traumatic Stress Disorder (PTSD)," *WSEAS TRANSACTIONS ON BIOLOGY AND BIOMEDICINE*, vol. 18, pp. 66–71, May 2021, doi: 10.37394/23208.2021.18.8.

[24] S. Villafaina, D. J. P. F-García, N. Gusi, J. F. T-Aguilera, and V. J. C-Suárez, "Psychophysiological response of military pilots in different combat flight maneuvers in a flight simulator," *Physiology and Behavior*, vol. 238, p. 113483, Sep. 2021, doi: 10.1016/j.physbeh.2021.113483.

[25] C. He, R. K. Chikara, C.-L. Yeh, and L.-W. Ko, "Neural Dynamics of Target Detection via Wireless EEG in Embodied Cognition," *Sensors*, vol. 21, no. 15, p. 5213, Jul. 2021, doi: 10.3390/s21155213.

[26] H. Wang, Y. Li, X. Hu, Y. Yang, Z. Meng, and K.-M. Chang, "Using EEG to improve massive open online courses feedback interaction," *CEUR Workshop Proceedings*, vol. 1009, pp. 59–66, Jan. 2013.

[27] S. Phadikar, N. Sinha, and R. Ghosh, "Automatic Eyeblink Artifact Removal From EEG Signal Using Wavelet Transform With Heuristically Optimized Threshold," *IEEE Journal of Biomedical and Health Informatics*, vol. 25, no. 2, pp. 475–484, Feb. 2021, doi: 10.1109/jbhi.2020.2995235.

[28] E. Park, J. Han, K. J. Kim, Y. Cho, and A. P. del Pobil, "Effects of Screen Size in Mobile Learning Over Time," in *Proceedings of the 12th International Conference on Ubiquitous Information Management and Communication*, Jan. 2018, doi: 10.1145/3164541.3164625.

[29] S. Tang, A. W I-Seidler, M. Torok, A. J. Mackinnon, and H. Christensen, "The relationship between screen time and mental health in young people: A systematic review of longitudinal studies," *Clinical Psychology Review*, vol. 86, p. 102021, Jun. 2021, doi: 10.1016/j.cpr.2021.102021.

[30] K. A. Sheen and Y. Luximon, "Effect of in-app components, medium, and screen size of electronic textbooks on reading performance, behavior, and perception," *Displays*, vol. 66, p. 101986, Jan. 2021, doi: 10.1016/j.displa.2021.101986.

[31] I. P. A. E. D. Udayana, M. Sudarma, and N. W. S. Ariyani, "Detecting Excessive Daytime Sleepiness With CNN And Commercial Grade EEG," *Lontar Komputer: Jurnal Ilmiah Teknologi Informasi*, vol. 12, no. 3, p. 186, Nov. 2021, doi: 10.24843/lkjiti.2021.v12.i03.p06.

[32] H. Zhang, M. Zhao, C. Wei, D. Mantini, Z. Li, and Q. Liu, "EEGdenoiseNet: a benchmark dataset for deep learning solutions of EEG denoising," *Journal of Neural Engineering*, vol. 18, no. 5, p. 056057, Oct. 2021, doi: 10.1088/1741-2552/ac2bf8.

[33] J. Kim, J. Seo, and T. H. Laine, "Detecting boredom from eye gaze and EEG," *Biomedical Signal Processing and Control*, vol. 46, pp. 302–313, Sep. 2018, doi: 10.1016/j.bspc.2018.05.034.

[34] M. A. Imron and B. Prasetyo, "Improving Algorithm Accuracy K-Nearest Neighbor Using Z-Score Normalization and Particle Swarm Optimization to Predict Customer Churn," *Journal of Soft Computing Exploration*, vol. 1, no. 1, Oct. 2020, doi: 10.52465/josce.v1i1.7.

[35] I. P. A. E. D. Udayana, M. Sudarma, and P. G. S. C. Nugraha, "Implementation of Convolutional Neural Networks to Recognize Images of Common Indonesian Food," *IOP Conference Series: Materials Science and Engineering*, vol. 846, no. 1, p. 012023, May 2020, doi: 10.1088/1757-899x/846/1/012023.

[36] K. Fukushima, "Artificial Vision by Deep CNN Neocognitron," *IEEE Transactions on Systems, Man, and Cybernetics: Systems*, vol. 51, no. 1, pp. 76–90, Jan. 2021, doi: 10.1109/tsmc.2020.3042785.

[37] A. Rehman, S. Naz, M. I. Razzak, F. Akram, and M. Imran, "A Deep Learning-Based Framework for Automatic Brain Tumors Classification Using Transfer Learning," *Circuits Syst Signal Process*, vol. 39, no. 2, pp. 757–775, Feb. 2020, doi: 10.1007/s00034-019-01246-3.

BIOGRAPHIES OF AUTHORS



I Putu Agus Eka Darma Udayana     continuing his Doctoral education at Udayana University, Indonesia. He also received his M.T. (Informatics Engineering at the Faculty of Engineering) from Udayana University, Indonesia, in 2014. He is currently the Coordinator of the Research Department at the Indonesian Institute of Business and Technology. His research includes information systems and artificial intelligence and is currently researching artificial intelligence in the health sector. He can be contacted at email: agus.ekadarma@gmail.com.



Made Sudarma     holds a Doctorate from Udayana University, Indonesia, in 2012. He also holds an M.A.Sc. (Master of Applied Science) from SITE-OU: School of Information Technology and Engineering, Ottawa University Canada in 2000. During his studies at SITE-OU, he was an assistant professor and a member of the research team of the built-in self-testing compaction generator field VLSI technology. He is also a professor of information technology science at the Electrical Engineering Study Program, Faculty of Engineering, Udayana University at Udayana University since 2019. His research includes internet and web applications, cloud computing, artificial intelligence, data warehousing and data mining, computer graphics and virtual reality, as the author of books and as a reviewer in international and national journals. In addition, he also completed vocational education (IPU., ASEAN Eng) and is active in academic activities, and he also work as an Information Technology consultant in local government, private sector, and tourism. He can be contacted at email: msudarma@unud.ac.id



I Ketut Gede Darma Putra     hold a Doctoral degree from Gajah Mada University, Indonesia, in 2007. He also obtained his M.T (Master of Engineering) degree from Gajah Mada University, Indonesia, in 2000. He received his S.Kom degree in informatics engineering from the Institute of Ten November Technology Surabaya, Indonesia, in 1997 and now he is a lecturer in the Department of Electrical Engineering and Information Technology, Udayana University Bali, Indonesia. He is currently a professor of information technology science at the Faculty of Engineering, Udayana University, since 2014. His research interests are biometrics, image processing, data mining, and soft computing. He can be contacted at email: ikgdarmaputra@unud.ac.id.



I Made Sukarsa     hold a Doctoral degree from Udayana University, Indonesia, in 2019. He also obtained his M.T (Master of Engineering) degree from Gajah Mada University, Indonesia, in 2005. He received his S.T degree in informatics engineering from the Gajah Mada University, Indonesia, in 2000 and now he is a lecturer in the Lecturer at the Department of Information Technology, Faculty of Engineering Udayana, Indonesia. Currently actively teaching and conducting research on IT governance, dialog models on chatbot engines, datawarehouses and system integration. He can be contacted at email: sukarsa@unud.ac.id.

Final Paper BEEI

by I Putu Agus Eka Darma Udayana

Submission date: 25-Dec-2022 11:49AM (UTC+0700)

Submission ID: 1986470755

File name: Cek Turnitin Naskah Final BEEI - I Putu Agus Eka Darma Udayana.docx (1.72M)

Word count: 3899

Character count: 19919

Effect On Signal Magnitude Thresholding on Detecting Student Engagement Through EEG in Various Screen Size Environment

21

I Putu Agus Eka Darn⁵ Udayana¹, Made Sudarma², I Ketut Gede Darma Putra³, I Made Sukarsa³¹ Department of Engineering Science, Faculty of Engineering, Udayana University, Denpasar, Indonesia² Department of Electrical Engineering, Faculty of Engineering, Udayana University, Denpasar, Indonesia³ Department of Information Technology, Faculty of Engineering, Udayana University, Denpasar, Indonesia

Article Info

Article history:

Received month dd, yyyy

Revised month dd, yyyy

Accepted month dd, yyyy

Keywords:

Signal Magnitude Area (SMA)
 Thresholding
 Convolutional Neural Network (CNN)
 Elektroencefalogram (EEG)
 Screen Size Environment
 Normalization Data

ABSTRACT

In this study, a new method was developed to detect student involvement in the online learning process. This method is based on CNN as a classifier with an emphasis on the preprocessing process combined with a new feature in the form of Signal Magnitude Area (SMA) thresholding. In this study, the data used as training data is a public dataset that emphasizes the decomposition of EEG signals into individual signal processing. Twenty subjects were taken to be used as test data, with each subject watching online learning lectures in the field of computer science on three different devices, either with a flat screen, a curved screen or a smartphone screen that is smaller than two standard computer monitors. Based on the study's results, it is known that the change in screen size is inversely proportional to the level of student attention, the smaller the screen, the lower the student's attention. For classification results, the model equipped with Signal Magnitude Area Thresholding outperformed the standard classifier by 8.33% with a test set of 20 people.

This is an open access article under the CC BY-SA license.



Corresponding Author:

Made Sudarma⁹

Dept. of Engineering Science, Udayana University, Denpasar, Indonesia

Jalan P.B. Sudirman, Dar¹⁴ Puri Kelod, Kecamatan Denpasar Bar., Kota Denpasar, Bali 80234

Email: msudarma@unud.ac.id

1. INTRODUCTION

In the face of the COVID-19 pandemic, a series of government regulations were issued to mitigate the impact of this virus in the daily lives of the Indonesian people. Minister of Education Decree No. 4 of 2020 states directives that make online learning mandatory for schools and tertiary institutions in Indonesia [1]. This considerable change in teaching and learning paradigm raises questions in academia. Although research discussing the effectiveness of online learning has been implemented before [2], [3], but on a large scale like this it hasn't been done much [4], not only in terms of education but also many preliminary studies conducted in the health sector, especially in the field of eye health [5] and ergonomics [6], [7]. Given that online learning, which is the primary way of teaching and learning during this pandemic, requires a very large screen time compared to normal conditions, the diverse profiles of Indonesian students make the tools used in carrying out this process an interesting variable to study. A similar study has been conducted, but the scope is in the work environment and was carried out in Korea [8]. In several fatigue studies that are mostly done in the world of transportation [9]-[14] on screen time in education has not become a research problem that many people do [15]. However, in several previous studies have indeed been implemented on human-computer interaction, the application of brain waves has not become a standard parameter to be used as an aspect of assessing the conditions that occur, although in several studies the brain wave parameters show a more stable and objective value and can be tested accurately than other biological parameters. [16]-[18]. Brain waves are a test parameter

that is often used in defense-based research [19], [20], research in the branch of advertising science as well as research in the branch of psychology [21]-[25]. This study utilizes what has been done previously by researchers at Carnegie Mellon University which has provided [20] a set that measures the level of engagement and student focus on an online learning activity [26]. However, in this study, no good data cleaning was carried out, and no statistical tests were carried out on the data before transforming it into a process tensor in the classifier. In this study, each research subject will be compared with all available data to make this research more objective with the introduction of a thresholding system based on the Signal Magnitude Area Method (SMA) so that the classifier obtained in the end will be more sensitive to local overfitting than the classifier, which does not use a thresholding system which is strengthened by data from previous studies with almost similar experiments [27]. In addition to [1] measuring the effectiveness of using Signal Magnitude Area Method (SMA), this study will also compare the effectiveness of using different screen sizes in online learning. Research related to the effectiveness of screen size in learning has been done [28]-[30]. However, in this case the researcher will use brain wave parameters and self-assessment to determine the participant's level of focus when using the three different screen sizes.

2. **METHOD**

2.1. **Research Design**

In this study, the author focuses on the effect of screen size on the level of attention and understanding of students in distance learning. In this research design, si classification uses a combination of Signal Magnitude Area (SMA) which has been modified by combining it with the Convolutional Neural Network (CNN) classifier with multiple input variables. Figure 1 shows the location of the sensors that can be observed in brainwave data retrieval. The data retrieval results using these sensors will be processed to obtain brainwave signals affecting student focus. In general, this experiment is divided into 4 major phases, namely preprocessing data, converting data into SMA-scale data, then converting the data into tensors for processing on the CNN network, and the last stage is classification using a multivariable CNN classifier using deep learning methods. Preprocessing is the stage where the data is cleaned of artifacts and noise using the z-score averaging method to be processed in the next phase. Then the next step is to process the data into a [1] final magnitude scale by taking the median of each data and comparing it with a data point. The next step is the data is prepared to be entered into a CNN-based artificial neural network after the conversion is complete then the data is forwarded to a CNN-based classifier that has been trained previously by public data that focuses on student engagement and focuses attention on the content presented on a digital screen [26].




Figure 1. Point of Brainwave Location [31]

In the next process, the classifier will classify the participants into the not-engagement class and the focused (engaged) class. In the final process, the model will be tested with a parameter matrix which includes classical methods such as sensitivity accuracy, which will be combined with an output comparison where the predictions of a system will be compared with the original specifications and later, the general system performance will be evaluated according to the data in the matrix. Figure 2 shows the steps for classifying a person's attention level using this experiment




Figure 2. System Overview

Figure 2 shows the steps in proving the method offered, the first step in this research is to collect brain wave data. This data can be obtained from an EEG tool that can record the participants' brain waves and then be normalized using z-score normalization. To remove the noise from the brainwave data, a denoising process was carried out using the SMA method to obtain the allowable data value for analysis. This research focuses on the preprocessing process, which needs to be addressed in previous research and also uses public data tested by previous researchers [32], not using private data whose data validity may be doubted. The normalized data is collected in a feature matrix, and the matrix is transformed into data that matches the CNN features to be used. The data will later be tested using a modified model using public data. This model recognizes two states, namely a state of comfort and a state of discomfort. The class will predict one of the two outputs to be used as a reference in evaluating the performance model. Table 1 is an example of the results of recording brain waves using EEG. From the results of these recordings, the system can record several attributes of the brain waves in the form of attention level, raw data, delta, theta, alpha, beta and gamma signals.

Table 1. Sample of Brainwave Data

No	Att	Raw	Delta	Theta	Alpha	Beta	Gamma
1	77	612	1168234	76559	17671	31863	5930
2	61	650	1000755	284199	106613	137788	44498
3	61	555	1000755	284199	106613	137788	44498
4	69	359	1397841	83854	13089	39550	12335
5	69	42	1397841	83854	13089	39550	12335
6	70	6	220810	42100	10811	6305	1055
7	81	33	882279	446036	200258	19463	12986
8	81	213	882279	446036	200258	19463	12986
9	88	222	538825	90035	248874	10521	5208
10	88	-43	538825	90035	248874	10521	5208
12	90	266	486405	532454	148791	21272	4584

Data Format:

- Att : Attention Level Measured by Neurosky Algorithm
- Raw : Unfiltered EEG Brainwave Signal
- Delta : Signal Delta EEG Brainwave
- Theta : Signal Theta EEG Brainwave
- Alpha : Signal Alpha EEG Brainwave
- Beta : Signal Beta EEG Brainwave
- Gamma: Signal Gamma EEG Brainwave

In the final stage, the data in this study will be evaluated and tested based on a confusion matrix as a test method that will produce system accuracy, focus comparisons when using different devices, and comparisons of the CNN method without preprocessing and using SMA preprocessing. To observe what signals need to be taken to observe student focus, figure 2 is the condition of a person with a signal recording range from 0 to 40 Hz.

3

Table 2. Characteristics of EEG Brain Waves [33]

Brain wave	Frequency range	Occurrence
Delta	0–4 Hz	Condition sleep
Theta	4–8 Hz	Condition going to sleep
Alpha	8–13 Hz	Condition Relax, calm, thinking
Beta	15–40 Hz	Condition Focus, alert, mental work, anxiety including

Based on **table 2**, it can be seen that the characteristics of the data tested in this study where the data will be parsed according to their respective dimensions, some of which symbolize the SMA index, which represent the brain waves that have been divided according to the EEG power band standard, namely four types of alpha beta delta waves and a scale Property attention results from device manufacturers and they will be compared with self-assessment scales made by participants on the training dataset.

2.2. Preprocessing EEG

In the initial step, the dataset that will be used as training data will be normalized, figure 3 below is the histogram of the dataset that will be used as system training data. Figure 3 is a histogram of the brainwave dataset that will be used as training data, where Figure 3 (a) shows the results of the attention level **data recording**, figure 3 (b) shows the raw data from the brainwave recording while figures 3 (c) to 3 (f) shows the recorded signal to be observed for the training data.




Figure 3. Histogram of features dataset (a) attention level, (b) dataset raw data, (c) delta signal, (d) theta signal, (e) alpha signal and (f) beta signal

The initial and most crucial part of this research is retrieving data from brain waves and ensuring that **data taken is ready to be analyzed and included in the classifier**. In this process, the normalization process **will be implemented using the z-score method with the following formula** [34].

$$Z = \frac{x - \bar{x}}{SD_x} \quad (1)$$

After normalizing the data, there will be some standardized data using the z-score calculation **and figure 4 is the histogram of the normalized data using the z-score calculation**. Data normalization is making several variables have the same range of values, none of which are too large or too small, to make statistical analysis more straightforward. The normalization method used in this study is the **core, the standard score**. The essence of this technique is to transform data from **various** to a broad scale **where the mean is zero, and the standard deviation is one**. The results of normalization are shown in figure 4 below, where **figure 4 (a) shows**

the histogram of normalized attention level results, figure 4 (b) shows the results of normalization of raw data, and 4 (c) to 4 (f) shows the results of normalizing the EEG signal.




Figure 4. Histogram of data (a) attention level after normalization, (b) raw data after normalization, (c) delta signal after normalization, (d) theta signal after normalization, (e) alpha signal after normalization and (f) beta signal after normalization

After the normalization process is carried out using the z-score method. The results of brain wave normalization will be processed using the SMA method to detect outline data so that the data obtained avoids overfitting. The following is the formula used for preprocessing using the SMA method [33].

$$\text{SMA} = \sum_{i=1}^{N-1} |x_{(i+1)} - x_i| \quad (2)$$

Before entering the machine learning process, the normalized data must first have a threshold so that noise does not occur during machine learning processing. This method will later adjust the characteristics of the data with machine learning methods and the characteristics of the single band EEG tool used in this study. The determination of the threshold or threshold in this study uses the following equation.

$$\text{EEGThreshold}_{(x)} = \text{AVG}(\text{SMAs}_{(x)}) + \text{STD}(\text{SMAs}_{(x)}) \quad (3)$$

In calculating the threshold using the formula above, the researcher will determine the threshold for brain wave data permitted to be processed using the CNN method. The threshold results from this calculation are illustrated in figures 5 (a) and 5 (b) with the threshold used as a natural evaluator to compare individuals and populations.




Figure 5. (a) Example a normal data before threshold process and (b) results threshold with SMA method

Figure 5 (a) shows the recorded brain waves divided using the SMA scale to produce groups above and below the threshold, while figure 5 (b) shows the allowable threshold using the SMA scale. The use of the SMA method in this study aims to standardize the signals obtained to improve the accuracy of the test results.

2.3. EEG Classification with CNN

Convolutional Neural Network (CNN) is a method derived from the development of the Multilayer Perceptron (MLP) for processing two-dimensional data [35]. Figure 6 is a design for applying the CNN method to classify recorded brainwave signals as focused or out of focus.




Figure 6. CNN Architecture Method

17

CNN is a method that was first developed under the name NeoCognitron by a Japanese researcher named Kunihiko Fukushima [36]. The concept developed by Kunihiko Fukushima was later developed by a researcher from the USA on behalf of LeCun. LeCun succeeded in developing CNN's initial model under the name LeNet in research that discussed number and handwriting recognition. The application of the CNN method is getting more and more popular, thanks to the fact that in 2012 Alex Krizhevsky won the ImageNet Large Scale Visual Recognition Challenge 2012 competition using the CNN method. This further proves the CNN method as the best object classification method in the image, after outperforming other machine learning methods such as SVM [37].

2.4. Testing Scenario

In this study, testing the proposed method will be carried out on 20 participants. Each participant will be given approximately 10 minutes to watch learning videos related to the introduction of algorithms and programming. In these 10 minutes, the recording duration will only be 5 minutes to reduce data errors at the test's beginning and end. This test will be carried out on each participant using three different devices: a curve screen, a flat screen and a smartphone. In addition to assessing the recorded brain waves, this study will also conduct a self-assessment based on standardized questions with psychological standards. The purpose of this self-assessment is that later there will be two sides to the measurement, which will result in the test results being accountable. Figure 7 is testing documentation when students carry out the online learning process using different types of screens, where figure 7 (a) shows the user using a curve screen, 7 (b) using a flat screen, and 7 (c) using a smartphone screen.



Figure 7. Brainwave testing and data collection with (a) curve screen, (b) flat screen and (c) smartphone screen

Figure 7 (a) is the process of recording student brain waves during online learning using a curve screen, and you can see the student's head using the tool used to record brain waves. Figure 7 (b) shows the process of recording brain waves using a flat screen, and figure 7 (c) shows the process of recording brain waves when students use smartphones. The brain recordings from different screens will later be compared to produce which device produces the highest focus when used as a learning medium. Not only comparing, but this study also uses the CNN method to classify attention from brain wave recordings and compares it with the accuracy of the application of the CNN + SAM method when classifying participants' attention levels.

3. RESULTS AND DISCUSSION

3.1. Testing with Different Screen Scenario

In this study, each participant listened to a lecture on the introduction of algorithms and programming. Each lecture session in this study was conducted for approximately 10 minutes for each module. Each participant was given a different screen for each module to become a random variable in this study. In this test with a duration of 10 minutes, brain wave recording will start from the 5th minute to the 10th minute. This was done to minimize the imperfection of the data because the participants in the first minute currently adapting to the use of the tool. Following the test scenario described, the total number of participants used is 20. Table 3 is a sample of test data that displays the results of 10 participants' brain recordings with different screen types like curved, flat, and smartphone screens. The average results of each difference in screen size used in this study will be presented in table 4.

Table 3. Sample Test Results with Different Screen Types

Sample User	Screen Type	Raw Data	Alpha Wave	Beta Wave	Delta Wave	Attention Level	Self-Assessment of Attention
001	Curved	612	11804	74577	12935	75	1
002	Flat	534	22302	28650	12046	75	0
003	Smartphone	33	25023	18700	32025	60	1
004	Flat	650	30609	21250	14027	70	1
005	Flat	507	44000	16500	21250	70	0
006	Flat	-43	57625	17700	23090	76	1
007	Curved	465	33000	51250	24270	78	1
008	Curved	272	17890	72000	13210	80	1
009	Smartphone	80	24020	48730	32025	73	1
010	Smartphone	12	24021	38650	31020	72	1

Table 3 shows the results of recording user brain waves while watching learning videos with different types of screens: curve, flat, and smartphone, which were observed by recording brain waves and giving a questionnaire in the form of a self-assessment to validate the results of brain wave recording. If you look at it broadly, it may be obscure that the difference in the level of attention of different devices is obvious. To see the effect of the differences in each screen used is presented in table 4 below.

Table 4. Average Test Results with Different Screen Types

Number of Sample User	Screen Type	Average Raw Data	Average Alpha Wave	Average Beta Wave	Average Delta Wave	Average Attention Level	Self-Assessment of Attention
20	Curved	75.56	41383.25	24319.39	605787.35	71	18
20	Flat	73.12	38112.12	23452.78	60782.45	68	16
20	Smartphone	73.06	34235.67	18456.81	61973.65	65	14

Table 4 shows the average user attention level results when using the curve, flat, and smartphone screens. The average value attention level for curved screens is 71, flat screens are 68, and smartphone screens are 65. The results of this attention level are also supported by the results of the self-assessment questionnaire, which is directly proportional to the average attention level results. In general, the results of this test show that the average level of attention when users use curved screen devices is significantly more than flat screens and smartphones. This result is because the large and curved screen makes the user comfortable watching the lessons given it will indirectly increase the user's level of attention.

3.2. Comparison of CNN Classification and CNN + SMA Thresholding

In the experiment, the CNN classifier and the CNN classifier combined with the SMA were developed to predict the study's degree of engagement between subjects from brain wave data. The results of predictions and experiments that have been carried out will be compared with the results of each student's self-assessment to find out whether the predictions made by the classifier are correct, and then statistical calculations are carried out, which are used to measure the effectiveness of the model in measuring the level of student involvement. Table 5 is the result of testing the application of the SMA method as preprocessing to classify the level of student engagement when doing online learning.

Table 5. Comparison of CNN and CNN + SMA Method

No	Screen Type	Prediction of Attention Level with CNN		Prediction Attention Level with CNN + SMA		CNN Accuracy (%)	CNN + SMA Accuracy (%)
		True	False	True	False		
1	Curved	17	3	18	2	85	90
2	Flat	14	6	17	3	70	85
3	Smartphone	15	5	16	4	75	80
Average Accuracy				76.67		85	

Table 4 shows the SMA method combined with the CNN method to classify whether the user is focused when given video learning material. Based on tests involving 20 users, it was found that the prediction results given by the system by reading brain waves using the CNN method were smaller than the combination of the CNN and SMA methods. The prediction results from a system that combines the CNN and SMA methods have a smaller prediction error than the CNN method, as evidenced by the answers from the user's direct self-assessment. Based on system testing, it was found that using the CNN method combined with SMA at the preprocessing stage has a higher accuracy value than relying solely on the CNN method, where combining these methods can provide an increase of 8.33%.

4. CONCLUSION

Based on the study results, adding a Signal Magnitude Area (SMA) as a thresholding method at the preprocessing stage in the development of an engagement detection system in online learning increased the classifier's performance by 8.33%. The results of experiments conducted in this study indicate a correlation between the addition of the SMA index with the addition of the level of attention with a proprietary algorithm produced by Neurosky as a device manufacturer. These results indicate that the potential of the SMA method to be developed as a parameter to calculate brain wave relaxation is work that needs to be explored in further research. In addition, using a curve screen produces a higher attention level value than using flat screens and smartphones in the implementation of distance learning. Education providers can consider it one of the concerns to improve the quality of student learning.

ACKNOWLEDGEMENTS

In the end, this research was able to run as expected, for that the researchers would like to thank to Directorate General of Higher Education, Ministry of Education, Culture, Research and Technology have provided funding for this research, Udayana University which has provided space for the implementation of research and has provided laboratories with various sizes and types of screens for system testing.

Final Paper BEEI

ORIGINALITY REPORT



PRIMARY SOURCES

Rank	Source Details	Percentage
1	I Putu Agus Eka Darma Udayana, Made Sudarma, I Ketut Gede Darma Putra, I Made Sukarsa. "Effect of Different Online Learning Screen Sizes During the COVID-19 Pandemic: An EEG Study", 2022 International Conference on Data and Software Engineering (ICoDSE), 2022 Publication	4%
2	Submitted to Institute of Research & Postgraduate Studies, Universiti Kuala Lumpur Student Paper	2%
3	Joochan Kim, Jungryul Seo, Teemu H. Laine. "Detecting boredom from eye gaze and EEG", Biomedical Signal Processing and Control, 2018 Publication	1%
4	eprints.staffs.ac.uk Internet Source	1%
5	P. M. Prihatini, I. K. G. D. Putra, I. A. D. Giriantari, M. Sudarma. "Complete	1%

agglomerative hierarchy document's clustering based on fuzzy luhn's gibbs latent dirichlet allocation", International Journal of Electrical and Computer Engineering (IJECE), 2019

Publication

6 Submitted to University of Technology, Sydney 1 %
Student Paper

7 Mochammad Junus, Marjono Marjono, Aulanni'am Aulanni'am, Slamet Wahyudi. "In Malang, Indonesia, a techno-economic analysis of hybrid energy systems in public buildings", Bulletin of Electrical Engineering and Informatics, 2022 <1 %
Publication

8 Submitted to School of Business and Management ITB <1 %
Student Paper

9 sloap.org <1 %
Internet Source

10 www.bioflux.com.ro <1 %
Internet Source

11 Submitted to Arab Academy for Science, Technology & Maritime Transport CAIRO <1 %
Student Paper

12 www.frontiersin.org

<1 %

13 eprints.umm.ac.id

Internet Source

<1 %

14 repository.uinsu.ac.id

Internet Source

<1 %

15 1library.net

Internet Source

<1 %

16 Atmirl Ernes, Poppy Diana Sari, Rukmi Sari

Hartati, I Nyoman Suprapta Winaya.

"Biodiesel Production From Sardine Flour

Used Cooking Oil Using One Step

Transesterification Techniques", Journal of
Applied Agricultural Science and Technology,

2019

Publication

<1 %

17 dokumen.pub

Internet Source

<1 %

18 ebin.pub

Internet Source

<1 %

19 lppm.unud.ac.id

Internet Source

<1 %

20 www.ijfis.org

Internet Source

<1 %

21

"Enhancement Image Intensity of HSV Color Space", International Journal of Recent Technology and Engineering, 2019

Publication

<1 %

22

Mustafa Noori Rashid, Leith Hamid Abed, Waleed Kareem Awad. "Financial information security using hybrid encryption technique on multi-cloud architecture", Bulletin of Electrical Engineering and Informatics, 2022

Publication

<1 %

Exclude quotes

Off

Exclude matches

Off

Exclude bibliography

Off